ELITE OFFICE FURNITURE UK LIMITED

Goole Office, Showroom & Factory

Elite Road Goole East Yorkshire DN14 8BF United Kingdom

Tel. +44 (0)1405 746000

Email. sales@elite-furniture.co.uk www.elite-furniture.co.uk

London Office & Showroom

81-87 St John Street Clerkenwell London EC1M 4NQ United Kingdom

Tel. +44 (0)20 7490 4909

Email. londonshowroom@elite-furniture.co.uk

Clite

Form

100% RECYCLABLE CHAIR COLLECTION

Form Chair Collection.

Italian designed, Form's smooth contour represents the balance of classic profiles with modern environments.

ailable in six warming colour finishes, the responsibly sourced lypropylene shell can be supported by dark grey or white polypropylene s or, for a more organic appearance, a wooden four-legged frame is ailable, subtly introducing a natural texture to the surrounding space. 00



THIS SIDE

OTHER SIDE



Form Chair with Plastic Frame and Plastic Seat Shell.





Dark Grey Shell Chair. Code: FRM/DG


Blue Shell Chair. Code: FRM/BU






White Shell Chair.

Code: FRM/WH







Form Chair with Plastic Frame, Plastic Seat Shell and Upholstered Seat Pad.



Dark Grey Shell Chair. Code: FRMUS/DG



Blue Shell Chair. Code: FRMUS/BU






Code: FRMUS/WH



Green Shell Chair. Code: FRMUS/GN






Form Chair with Wooden Frame and Plastic Seat Shell.





Dark Grey Shell Chair. Code: FRMWL/DG






White Shell Chair. Code: FRMWL/WH

Code: FRMWL/RD





Form Chair with Wooden Frame, Plastic Seat Shell and Upholstered Seat Pad.





Dark Grey Shell Chair. Code: FRMWLUS/DG

Code: FRMWLUS/BU





Red Shell Chair. Code: FRMWLUS/RD

Code: FRMWLUS/WH





Fabric Choices.

We align ourselves with the leading fabric ranges includies with hole than 150 core ranges including Camira, Panaz, Kvadrat and Svensson, incorporating their most responsible ranges with Oeko-Tex® Standard 100, Indoor Advantage™ Gold, EU Ecolabel and Cradle to Cradle™ certifications.

and fabric swatches available to view within our showroom facilities, alongside our furniture products.

Each seat pad is hand crafted by our highly



Colour & Finish Options

Shell Colour Options.



Plastic Frame Finishes.




Wooden Frame Finishes.




Stained Espresso

Dimensions.

11





Chair with Plastic Frame.

Code: FRM & FRMUS 600mm w x 510mm d x 810mm h. Overall Size:

Chair with Wooden Frame.

600mm w x 510mm d x 810mm h.

Overall Size:

Stained Black



Red Pantone 17-1532

White RAL 9016

Yellow Pantone 17-0839



Stained Walnut



Stained Wenge



White



Our Plastic Awareness Policy.

We adhere to our Circular Economy business model that aims to deliver 100% recyclability.

The use of recycled plastic in place of virgin resin typically results in reduced energy consumption, lower cost, and reduced environmental impact.

Our Form seating products permits all plastic components to be recycled through curbside programs. The following illustrates what type of plastic is used and its recyclable properties.

WHAT	WE USE	RESIN TYPE
Form C	onstruction:	
	eg Frame. Id Structure.	Polypropylene - Polypropylene - Acrylonitrile But Polycaprolactar Polyurethane.
Packag	ing Materials:	
Bags.		Low Density Po
LDPE	Low Density Polythene (LDPE) LDPE is not often recycled through	n curbside program

Polypropylene (PP) Can be recycled through some curbside programs.



05

Acrylonitrile-Butadiene-Styrene (ABS)

ABS is recycled by first shredding used plastics to produce shredded plastics. After this step, metals and undesirable plastics are separated from the shredded plastics to produce separated plastics.



Polyurethane (PUR)

Polyurethane is recycled in two primary ways: mechanical recycling, in which the material is reused in its polymer form, and chemical recycling that takes the material back to its various chemical constituents.



Polyamide (PA)

Polyamide is 100% mechanically and feedstock recyclable. Recycled content is made into new product formulations. This is a mixed plastic made up of many polymers.



RESIN ID CODE

ene + 30 GF (Glass Filled). ene + 30 GF (Glass Filled). Butadiene Styrene. actam - Polyamide 6 (Nylon Type 6).

(PP) 5 (PP) 5 (ABS) 9 (PA6) (PUR) 113

y Polythene.

(LDPE) 4

ograms, but some communities will accept it.

Accreditations and Achievements

Company Accreditations

BS EN ISO 9001:2015 Quality Management Systems.

BS EN ISO 14001:2015 Environmental Management Systems.

BS OHSAS 45001:2018 Occupational Health & Safety Management.

BS EN ISO 50001:2011 Energy Management Systems.

FISP Furniture Industry Sustainability Programme. As part of our Environmental Policy.

FSC Forest Stewardship Council. Chain of Custody Certification.

FIRA Furniture Industry Research Association. Affiliated Member.

CIUK Commercial Interiors UK (formerly the BCFA). Affiliated Member.

Valpak The Producer Responsibility Obligations Regulations. (Packaging Waste).

FORS (Bronze Award) The Fleet Operator Recognition Scheme.

RHA Road Haulage Association. Affiliated Member.

Furniture Accreditations

BS EN 527-1:2011 Office furniture desking dimensions.

BS EN 527-2:2002 Office furniture desking mechanical safety requirements.

BS EN 527-3:2003 Office furniture desking strength & stability.

BS EN ISO 9241-5:1999 Ergonomics of VDU/TFT screen usage within offices.

BS 4875-7:2006 Strength & stability of shelving. Test level 4 (shelves only).

BS 6396:2008 Office furniture desking electrical systems.

BS EN 13722:2004 Gloss/reflective level testing on furniture surfaces.

BS EN 14073-2:2004 Strength & rigidity testing of storage furniture part 2.

BS EN 14073-3:2004 Strength & rigidity testing of storage furniture part 3.

BS EN 14074:2004 Endurance & stability testing of storage furniture.

BS EN 14322:2017 Definition, requirements & classification of wood based panels. (Elite Dual Board).

BS EN 15372:2008 level 2 Standard and folding tables structurally suitable and stable for general contract use.

UNE-EN 14323:2004 Dual Board resistance to scratching, cracking and staining.

Dividing Screen Accreditations

BS 476-7:1987 Flammability test for Screens (Class 2).

BS EN 1023-1:1997 Office furniture screens, dimensions,

BS EN 1023-2:2000 Office furniture screens, mechanical safety requirements.

BS EN 1023-3:2000 Office furniture screens, test methods.

BS EN 9241-5 Gloss Level - surface reflectance (Screens).

EN 13501-1:2007+A1:2009 Fire classification of construction products and building elements. Part 1.

BS EN 13823:2010+A1:2014 Reaction to fire tests for building products. Building products excluding floorings exposed to the thermal attack by a single burning item.

BS EN ISO 11925-2:2010 Reaction to fire tests. Ignitability of products subjected to direct impingement of flame. Single-flame source test.

BS EN ISO 1182:2002 Reaction to fire tests for building products. Non-combustibility test.

BS EN ISO 1716:2018 Reaction to fire tests for products. Determination of the gross heat of combustion (calorific value).

BS EN 12667:2001 Thermal performance of building materials and products. Determination of thermal resistance by means of guarded hot plate and heat flow meter methods. Products of high and medium thermal resistance.







 $\sqrt{1}$ FSC FSC^e C191612



Seating Accreditations

BS EN 1022:2015 & 2020 Seating, determination of stability.

BS EN 1335-1 + BS EN 1335-2 + BS EN 1335-3 Office work chairs safety test methods.

EN 1728:2012 + AC:2013 Seat & Back Static Load Test & Durability. Front & Back Fatigue Test & Impact Test.

BS EN 5852 Part 2: 1982 Ignition source 5 (Crib 5) Fire Retardancy. CentiPUR certified foam.

BS EN 5459-2: 2000+A2:2008 Office seating for use by person weighing up to 150kg and for use upto 24 hours a day.

BS EN 13761:2002 Visitor Chairs - Dimensions & Safety Requirements.

BS EN 15373:2007 level 2 Seating strength, durability and safety. Requirements for non-domestic seating.

BS EN 16139:2015 4 legged & cantilever seating, strength, durability and safety requirements.

EN 1728/2000 & 2015 Domestic furniture. Seating. Test methods for the determination of strength and durability.

BS EN 10025:1993 Specification for hot rolled products of non-alloy structural steels and their technical delivery conditions. Applicable to all chrome plated parts.

ANSI/BIFMA X5.1-2002 International testing certificate for office chairs. Sections:08,11,13,14,16 and 18.

ANSI/BIFMA X5.1-2011 International testing certificate for office chairs. Sections:05,11.3,13,14 and 15.

TUV Eco-Circle 2008 Tested for recyclable content, harmful substances, energy saving & ergonomic design.

NEOCON Silver Award Winner 2013 Chicago, USA.