ELITE OFFICE FURNITURE UK LIMITED

Goole Office, Showroom & Factory

Elite Road Goole East Yorkshire DN14 8BF United Kingdom

Tel. +44 (0)1405 746000

Email. sales@elite-furniture.co.uk www.elite-furniture.co.uk

London Office & Showroom

81-87 St John Street Clerkenwell London EC1M 4NQ United Kingdom


Tel. +44 (0)20 7490 4909

Email. londonshowroom@elite-furniture.co.uk



[∞] Infinity

100% RECYCLABLE CHAIR COLLECTION




Infinity

Infinity is a comprehensive range offering multi-purpose seating with six base options making it a suitable solution for agile environments, meeting rooms, breakout spaces, classrooms and waiting areas.

The polypropylene shell, available in black or white with integrated support arms, can be finished with an upholstered back and seat or mesh back with upholstered seat.

To complement the polypropylene shell, metalwork is supplied in black graphite or white as standard or an enhanced aesthetic can be achieved with the introduction of colour, using one of our 11 epoxy-powder coating colour options.









5 Star Swivel Base with Upholstered Back and Seat.



Code: Overall Size: Seat Height:









Black 5 Star Swivel Base with Upholstered Back and Seat.

INFB5SUSUB

650mm w x 650mm d x 890-1020mm h. 465mm - 595mm h.

White 5 Star Swivel Base with Upholstered Back and Seat.

INFW5SUSUB

650mm w x 650mm d x 870-955mm h. 455mm - 540mm h.





5 Star Swivel Base with Mesh Back and Upholstered Seat.



Code: Overall Size: Seat Height:







Code:

Overall Size: Seat Height:

Black 5 Star Swivel Base with Mesh Back and Upholstered Seat.

INFB5SUSMB

650mm w x 650mm d x 880-1010mm h. 465-595mm h.

White 5 Star Swivel Base with Mesh Back and Upholstered Seat.

INFW5SUSMB

650mm w x 650mm d x 860-945mm h. 465-595mm h.





Pyramid Swivel Chair with Upholstered Back and Seat.



Code: INFB4SPUSUB 660mm w x 660mm d x 910-995mm h. 485-570mm h. Overall Size: Seat Height:



Code:

Overall Size: Seat Height:





Black Pyramid Swivel Chair with Upholstered Back and Seat.

White Pyramid Swivel Chair with Upholstered Back and Seat.

INFW4SPUSUB

660mm w x 660mm d x 910-995mm h. 485-570mm h.





Pyramid Swivel Chair with Mesh Back and Upholstered Seat.



Code: Overall Size: Seat Height:



Code:

Overall Size: Seat Height:





Black Pyramid Swivel Chair with Mesh Back and Upholstered Seat.

INFB4SPUSMB

660mm w x 660mm d x 900-985mm h. 485-570mm h.



White Pyramid Swivel Chair with Mesh Back and Upholstered Seat.

INFW4SPUSMB

660mm w x 660mm d x 900-985mm h. 485-570mm h.





4 Star Meeting Chair with Upholstered Back and Seat.



Code: INFB4SUSUB Overall Size: Seat Height: 640mm w x 640mm d x 895-1060mm h. 470-635mm h.





	•
Polished aluminium 4 s	star base.

Code:

Overall Size: Seat Height:



Black 4 Star Meeting Chair with Upholstered Back and Seat.

White 4 Star Meeting Chair with Upholstered Back and Seat.

INFW4SUSUB

640mm w x 640mm d x 895-1060mm h. 470-635mm h.





4 Star Meeting Chair with Mesh Back and Upholstered Seat.



Code: INFB4SUSMB Overall Size: Seat Height: 640mm w x 640mm d x 885-1050mm h. 470-635mm h.





White	4 St	ar M	eeti

Polished aluminium 4 star base. Code:

> Overall Size: Seat Height:




Black 4 Star Meeting Chair with Mesh Back and Upholstered Seat.

ting Chair with Mesh Back and Upholstered Seat.

INFW4SUSMB

640mm w x 640mm d x 885-1050mm h. 470-635mm h.





4 Legged Chair on Castors with Upholstered Back and Seat.







Code:

Overall Size: Seat Height:





Black 4 Legged Chair on Castors with Upholstered Back and Seat.

INFBLUSUB/C

595mm w x 575mm d x 890mm h. 465mm h.



White 4 Legged Chair on Castors with Upholstered Back and Seat.

INFWLUSUB/C

595mm w x 575mm d x 890mm h. 465mm h.





4 Legged Chair on Castors with Mesh Back and Upholstered Seat.



Code:INFBLUSMB/COverall Size:595mm w x 575mm d x 880mm h.Seat Height:465mm h.



Code:

Overall Size:

Seat Height:





Black 4 Legged Chair on Castors with Mesh Back and Upholstered Seat.



White 4 Legged Chair on Castors with Mesh Back and Upholstered Seat.

INFWLUSMB/C

595mm w x 575mm d x 880mm h. 465mm h.





4 Legged Chair with Upholstered Back and Seat.











Code: Overall Size: Seat Height:



Black 4 Legged Chair with Upholstered Back and Seat.

INFBLUSUB

595mm w x 575mm d x 875mm h. 450mm h.



White 4 Legged Chair with Upholstered Back and Seat.

INFWLUSUB

595mm w x 575mm d x 875mm h. 450mm h.






4 Legged Chair with Mesh Back and Upholstered Seat.



Code: Overall Size: Seat Height:



Code:

Overall Size: Seat Height:



	1
460	865

Black 4 Legged Chair with Mesh Back and Upholstered Seat.

INFBLUSMB

595mm w x 575mm d x 865mm h. 450mm h.



White 4 Legged Chair with Mesh Back and Upholstered Seat.

INFWLUSMB

595mm w x 575mm d x 865mm h. 450mm h.





Cantilever Chair with Upholstered Back and Seat.











Code:

Overall Size: Seat Height:

Black Cantilever Chair with Upholstered Back and Seat.

INFBCUSUB

585mm w x 575mm d x 880mm h. 455mm h.



White Cantilever Chair with Upholstered Back and Seat.

INFWCUSUB

585mm w x 575mm d x 880mm h. 455mm h.





Cantilever Chair with Mesh Back and Upholstered Seat.



Code: Overall Size: Seat Height:



Code:

Overall Size: Seat Height:





Black Cantilever Chair with Mesh Back and Upholstered Seat.

INFBCUSMB

585mm w x 575mm d x 870mm h. 455mm h.



White Cantilever Chair with Mesh Back and Upholstered Seat.

INFWCUSMB

585mm w x 575mm d x 870mm h. 455mm h.



Fabric Choices.

We align ourselves with the leading fabric manufacturers with more than 150 core ranges including Camira, Panaz, Kvadrat and Svensson, incorporating their most responsible ranges with Oeko-Tex® Standard 100, Indoor Advantage[™] Gold, EU Ecolabel and Cradle to Cradle[™] certifications.

We have a full collection of metalwork colours and fabric swatches available to view within our showroom facilities, alongside our furniture products.


Each seat pad and backrest is hand crafted by our highly skilled upholstery team.



Metalwork Finishes.

Standard Metal Finishes.

The 3 finishes below are our standard metal finishes.



Premium Metal Finishes.

The 7 finishes below are non-standard metalwork finishes. Subject to a 2 week lead time.



Our seating production area.









RAL 6016

Light Grey RAL 7038

Recyclable Content.

The Infinity chair range is 100% recyclable due to the diligence applied during the material section process

Mesh back rest
Back rest structure
Arm structure
Seat outer cover
Seat foam
Seat and backrest fabric
Plywood inner seat construction
Cantilever metal frame
4 Legged metal frame
4 Star metal base
Lift mechanism
Glides
Castors
Fixings and fittings

lon
astic
astic
astic
am
bric
wood
iminium/plastic
astic
iminium/plastic

100% Recyclable.



Infinity Test Certifcates

EN 16139:2013

Strength, durability, and safety – requirements for non-domestic seating.

EN 1728:2020

This European Standard specifies test methods for the determination of strength and durability of the structure of all types of seating without regard to use, materials, design/construction or manufacturing process.

EN 1022:2020

Test methods and requirements for the determination of the stability of all types of seating for adults weighing up to 110 kg.

Our Plastic Awareness Policy.

We adhere to our Circular Economy business model that aims to deliver 100% recyclability.

The use of recycled plastic in place of virgin resin typically results in reduced energy consumption, lower cost, and reduced environmental impact.

Our Infinity product permits all plastic components to be recycled through curbside programs. The following illustrates what type of plastic is used and its recyclable properties.

WHAT WE USE	RESIN TYPE
Infinity Construction:	
Seat Outer Cover. Arms. Mesh Backrest. 5 Star Nylon Base. Castors. Glides.	Polypropylene. Polyamide (Nylon) Polyamide (Nylon) Polyamide (Nylon - Polycaprolactam - Polyethylene Terep
Lever Mechanism. Seat Foam.	Polypropylene. Polyurethane.
Packaging Materials:	
Bags.	Low Density Polyth
Polyethylene Terephthalate (PETE) PETE plastics are recyclable and acc	epted by most cu



Low Density Polythene (LDPE) LDPE is not often recycled through curbside programs, but some communities will accept it.



Polypropylene (PP) Can be recycled through some curbside programs.



Polyurethane (PUR)

Polyurethane is recycled in two primary ways: mechanical recycling, in which the material is reused in its polymer form, and chemical recycling that takes the material back to its various chemical constituents.



Polyamide (PA)

Polyamide is 100% mechanically and feedstock recyclable. Recycled content is made into new product formulations. This is a mixed plastic made up of many polymers.



RESIN IDENTIFICATION CODE

The ASTM International Resin Identification Coding System, often abbreviated as the RIC, is a set of symbols appearing on plastic products that identify the plastic resin out of which the product is made.

The Society of the Plastics Industry introduced the Resin Identification Code (RIC) system in 1988 as a growing number of communities were implementing recycling programs.

In order to address the concerns of recyclers the RIC system was designed to make it easier for workers in materials recovery and recycling facilities to sort and separate items according to their resin type.

Plastics must be recycled separately, with like materials, in order to preserve the material's value and enable its reuse in other products after being recycled.

RESIN ID CODE

30 GF (Glass Filled). 30 GF (Glass Filled).	(PP) 5 (PA) (PA)
Type 66, 30-33% Glass Fibre). olyamide 6 (Nylon Type 6) (PA6). thalate.	(PA) (PA) (PETE) 1
	(PP) 5 (PUR) 113

thene.

(LDPE) 4

irbside recycling programs.

Accreditations and Achievements

Company Accreditations

BS EN ISO 9001:2015 Quality Management Systems.

BS EN ISO 14001:2015 Environmental Management Systems.

BS OHSAS 45001:2018 Occupational Health & Safety Management.

BS EN ISO 50001:2011 Energy Management Systems.

FISP Furniture Industry Sustainability Programme. As part of our Environmental Policy.

FSC Forest Stewardship Council. Chain of Custody Certification.

FIRA Furniture Industry Research Association. Affiliated Member.

CIUK Commercial Interiors UK (formerly the BCFA). Affiliated Member.

Valpak The Producer Responsibility Obligations Regulations. (Packaging Waste).

FORS (Bronze Award) The Fleet Operator Recognition Scheme.

RHA Road Haulage Association. Affiliated Member.

Furniture Accreditations

BS EN 527-1:2011 Office furniture desking dimensions.

BS EN 527-2:2002 Office furniture desking mechanical safety requirements.

BS EN 527-3:2003 Office furniture desking strength & stability.

BS EN ISO 9241-5:1999 Ergonomics of VDU/TFT screen usage within offices.

BS 4875-7:2006 Strength & stability of shelving. Test level 4 (shelves only).

BS 6396:2008 Office furniture desking electrical systems.

BS EN 13722:2004 Gloss/reflective level testing on furniture surfaces.

BS EN 14073-2:2004 Strength & rigidity testing of storage furniture part 2.

BS EN 14073-3:2004 Strength & rigidity testing of storage furniture part 3.

BS EN 14074:2004 Endurance & stability testing of storage furniture.

BS EN 14322:2017 Definition, requirements & classification of wood based panels. (Elite Dual Board).

BS EN 15372:2008 level 2 Standard and folding tables structurally suitable and stable for general contract use.

UNE-EN 14323:2004 Dual Board resistance to scratching, cracking and staining.

 $\sqrt{1}$

FSC

FSC^e C191612

Dividing Screen Accreditations

BS 476-7:1987 Flammability test for Screens (Class 2).

BS EN 1023-1:1997 Office furniture screens, dimensions.

BS EN 1023-2:2000 Office furniture screens, mechanical safety requirements.

BS EN 1023-3:2000 Office furniture screens, test methods.

BS EN 9241-5 Gloss Level - surface reflectance (Screens).

EN 13501-1:2007+A1:2009 Fire classification of construction products and building elements. Part 1.

BS EN 13823:2010+A1:2014 Reaction to fire tests for building products. Building products excluding floorings exposed to the thermal attack by a single burning item.

BS EN ISO 11925-2:2010 Reaction to fire tests. Ignitability of products subjected to direct impingement of flame. Single-flame source test.

BS EN ISO 1182:2002 Reaction to fire tests for building products. Non-combustibility test.

BS EN ISO 1716:2018 Reaction to fire tests for products. Determination of the gross heat of combustion (calorific value).

BS EN 12667:2001 Thermal performance of building materials and products. Determination of thermal resistance by means of guarded hot plate and heat flow meter methods. Products of high and medium thermal resistance.







Seating Accreditations

BS EN 1022:2015 & 2020 Seating, determination of stability.

BS EN 1335-1 + BS EN 1335-2 + BS EN 1335-3 Office work chairs safety test methods.

EN 1728:2012 + AC:2013 Seat & Back Static Load Test & Durability. Front & Back Fatigue Test & Impact Test.

BS EN 5852 Part 2: 1982 Ignition source 5 (Crib 5) Fire Retardancy. CentiPUR certified foam.

BS EN 5459-2: 2000+A2:2008 Office seating for use by person weighing up to 150kg and for use upto 24 hours a day.

BS EN 13761:2002 Visitor Chairs - Dimensions & Safety Requirements.

BS EN 15373:2007 level 2 Seating strength, durability and safety. Requirements for non-domestic seating.

BS EN 16139:2015 4 legged & cantilever seating, strength, durability and safety requirements.

EN 1728/2000 & 2015 Domestic furniture. Seating. Test methods for the determination of strength and durability.

BS EN 10025:1993 Specification for hot rolled products of non-alloy structural steels and their technical delivery conditions. Applicable to all chrome plated parts.

ANSI/BIFMA X5.1-2002 International testing certificate for office chairs. Sections:08,11,13,14,16 and 18.

ANSI/BIFMA X5.1-2011 International testing certificate for office chairs. Sections:05,11.3,13,14 and 15.

TUV Eco-Circle 2008 Tested for recyclable content, harmful substances, energy saving & ergonomic design.

NEOCON Silver Award Winner 2013 Chicago, USA.